


Exercise 1



- T1, T2 and T3 take the values true and false

	T1=false	T1=true
	0.8	0.2
T1		
false	0.7	0.3
true	0.4	0.6

T1	T2=false	T2=true
false	0.7	0.3
true	0.4	0.6

T2	T3=false	T3=true
false	0.7	0.3
true	0.4	0.6

Exercise 1

- Compute $P(T_1|\sim T_2, T_3)$.
- $P(T_1|\sim T_2, T_3) =$
 $P(T_1, \sim T_2, T_3)/P(\sim T_2, T_3) =$
 $P(T_1, \sim T_2, T_3)/(P(T_1, \sim T_2, T_3) + P(\sim T_1, \sim T_2, T_3))$

Exercise 1

	T1=false	T1=true	
	0.8	0.2	
	T1	T2=false	T2=true


T1	T2=false	T2=true
false	0.7	0.3
true	0.4	0.6

T2	T3=false	T3=true
falso	0.7	0.3
vero	0.4	0.6

- $P(T1, \sim T2, T3) =$
 $P(T1)P(\sim T2|T1)P(T3|T1, \sim T2) =$
 $P(T1)P(\sim T2|T1)P(T3|\sim T2) = 0.2 * 0.4 * 0.3 = 0.024$
- $P(\sim T1, \sim T2, T3) =$
 $P(\sim T1)P(\sim T2|\sim T1)P(T3|\sim T1, \sim T2) =$
 $P(\sim T1)P(\sim T2|\sim T1)P(T3|\sim T2) = 0.8 * 0.7 * 0.3 = 0.168$
- $P(T1|\sim T2, T3) = 0.024 / (0.024 + 0.168) = 0.125$

Exercise 2

- T =Terremoto, F =Furto and A =Allarme take the values true and false



	$T=false$	$T=true$
	0.9	0.1
	$F=false$	$F=true$
	0.7	0.3

T	F	$A=false$	$A=true$
false	false	0.9	0.1
false	true	0.2	0.8
true	false	0.3	0.7
true	true	0.1	0.9

Exercise 2

- Compute $P(T|\sim F, A)$
- $P(T|\sim F, A) =$
 $P(T, \sim F, A)/P(\sim F, A) =$
 $P(T, \sim F, A)/(P(T, \sim F, A) + P(\sim T, \sim F, A))$

Exercise 2


	T=false	T=true
	0.9	0.1

	F=false	F=true
	0.7	0.3

T	F	A=false	A=true
false	false	0.9	0.1
false	true	0.2	0.8
true	false	0.3	0.7
true	true	0.1	0.9

- $P(T, \sim F, A) = P(T)P(\sim F|T)P(A|T, \sim F) =$
 $P(T)P(\sim F)P(A|T, \sim F) =$
 $0.1 * 0.7 * 0.7 = 0.049$
- $P(\sim T, \sim F, A) = P(\sim T)P(\sim F|\sim T)P(A|\sim T, \sim F) =$
 $P(\sim T)P(\sim F)P(A|\sim T, \sim F) = 0.9 * 0.7 * 0.1 = 0.063$
- $P(T|\sim F, A) = 0.049 / (0.049 + 0.063) = 0.4375$

Exercise 3



	T1=Falseo	T1=Vero
	0.1	0.9

	T2=Falseo	T2=Vero
	0.4	0.6

	T5=Falseo	T5=vero
	0.1	0.9

T1	T2	T3=Falseo	T3=vero
Falso	Falso	0.8	0.2
Falso	Vero	0.6	0.4
Vero	Falso	0.1	0.9
Vero	Vero	0.3	0.7

T2	T5	T4=Falseo	T4=vero
Falso	Falso	0.5	0.5
Falso	Vero	0.1	0.9
Vero	Falso	0.4	0.6
Vero	Vero	0.3	0.7

Exercise 3

- Query $P(\sim T_1 | T_3, T_4, \sim T_5)$.

$$P(\sim T_1 | T_3, T_4, \sim T_5) = P(\sim T_1, T_3, T_4, \sim T_5) / P(T_3, T_4, \sim T_5)$$

$$\begin{aligned} P(\sim T_1, T_3, T_4, \sim T_5) &= P(\sim T_1, \sim T_2, T_3, T_4, \sim T_5) + \\ &P(\sim T_1, T_2, T_3, T_4, \sim T_5) \end{aligned}$$

$$\begin{aligned} P(T_3, T_4, \sim T_5) &= P(\sim T_1, T_3, T_4, \sim T_5) + P(T_1, T_3, T_4, \sim T_5) = \\ &P(\sim T_1, \sim T_2, T_3, T_4, \sim T_5) + P(\sim T_1, T_2, T_3, T_4, \sim T_5) + \\ &P(T_1, \sim T_2, T_3, T_4, \sim T_5) + P(T_1, T_2, T_3, T_4, \sim T_5) \end{aligned}$$

Exercise 3

T1=Falseo	T1=Vero		T2=Falseo	T2=Vero	T5	T5=falso	T5=vero
0.1	0.9		0.4	0.6		0.1	0.9

T1	T2	T3=falso	T3=vero	T2	T5	T4=falso	T4=vero
Falso	Falso	0.8	0.2	Falso	Falso	0.5	0.5
Falso	Vero	0.6	0.4	Falso	Vero	0.1	0.9
Vero	Falso	0.1	0.9	Vero	Falso	0.4	0.6
Vero	Vero	0.3	0.7	Vero	Vero	0.3	0.7

$$P(\sim T1, \sim T2, T3, T4, \sim T5) = P(\sim T1)P(\sim T2)P(T3 | \sim T1, \sim T2)P(\sim T5)$$

$$P(T4 | \sim T2, \sim T5) = 0.1 * 0.4 * 0.2 * 0.1 * 0.5 = 0.0004$$

$$P(\sim T1, T2, T3, T4, \sim T5) = P(\sim T1)P(T2)P(T3 | \sim T1, T2)P(\sim T5)P(T4 | T2, \sim T5) = 0.1 * 0.6 * 0.4 * 0.1 * 0.6 =$$

$$0.00144$$

Exercise 3

T1=Falseo	T1=Vero		T2=Falseo	T2=Vero	T5	T5=falseo	T5=vero
0.1	0.9		0.4	0.6		0.1	0.9

T1	T2	T3=falseo	T3=vero
Falso	Falso	0.8	0.2
Falso	Vero	0.6	0.4
Vero	Falso	0.1	0.9
Vero	Vero	0.3	0.7

T2	T5	T4=falseo	T4=vero
Falso	Falso	0.5	0.5
Falso	Vero	0.1	0.9
Vero	Falso	0.4	0.6
Vero	Vero	0.3	0.7

$$P(T1, \sim T2, T3, T4, \sim T5) = P(T1)P(\sim T2)P(T3|T1, \sim T2)P(\sim T5) P(T4| \sim T2, \sim T5) = 0.9 * 0.4 * 0.9 * 0.1 * 0.5 = \\ 0.0162$$

$$P(T1, T2, T3, T4, \sim T5) = P(T1)P(T2)P(T3|T1, T2)P(\sim T5) P(T4| T2, \sim T5) = 0.9 * 0.6 * 0.7 * 0.1 * 0.6 = 0.02268$$

Exercise 3

$$P(\sim T_1, \sim T_2, T_3, T_4, \sim T_5) = 0.0004$$

$$P(\sim T_1, T_2, T_3, T_4, \sim T_5) = 0.00144$$

$$P(T_1, \sim T_2, T_3, T_4, \sim T_5) = 0.0162$$


$$P(T_1, T_2, T_3, T_4, \sim T_5) = 0.02268$$

$$P(\sim T_1, T_3, T_4, \sim T_5) = 0.0004 + 0.00144 = 0.00184$$

$$P(T_3, T_4, \sim T_5) = 0.00184 + 0.0162 + 0.02268 = 0.04072$$

$$P(\sim T_1 | T_3, T_4, \sim T_5) = 0.00184 / 0.04072 = 0.04519$$

Alarm




$P(B)$	
B=no	0,7
B=door	0,1
B=windows	0,2

$P(E)$	
E=no	0,6
E=moderate	0,2
E=severe	0,2

$P(A EB)$	no,no	no,do	no,wi	mo,no	mo,do	mo,wi	se,no	se,do	se,wi
no	0,99	0,1	0,2	0,8	0,08	0,1	0,7	0,05	0,07
yes	0,01	0,9	0,8	0,2	0,92	0,9	0,3	0,95	0,93

$P(N A)$	$A=\text{no}$	$A=\text{yes}$
N=no	0,9	0,05
N=yes	0,1	0,95

Alarm



- Compute $P(B=\text{door}|N=\text{yes}, E=\text{no})$
- $P(\text{door}|N=\text{yes}, E=\text{no}) = P(\text{door}, N, E=\text{no})/P(N, E=\text{no})$
- $P(\text{door}, N, E=\text{no}) = P(\text{door}, E=\text{no}, A=\text{no}, N) + P(\text{door}, E=\text{no}, A=\text{yes}, N)$
- $P(N, E=\text{no}) = P(\text{door}, N, E=\text{no}) + P(\text{no}, N, E=\text{no}) + P(\text{wi}, N, E=\text{no}) = P(\text{door}, N, E=\text{no}) + P(\text{no}, N, E=\text{no}, A=\text{no}) + P(\text{no}, N, E=\text{no}, A=\text{yes}) + P(\text{wi}, N, E=\text{no}, A=\text{no}) + P(\text{wi}, N, E=\text{no}, A=\text{yes})$

Alarm

P(B)		P(E)	
B=no	0,7	E=no	0,6
B=door	0,1	E=moderate	0,2
B=windows	0,2	E=severe	0,2

P(A EB)	no,no	no,do	no,wi	mo,no	mo,do	mo,wi	se,no	se,do	se,wi
no	0,99	0,1	0,2	0,8	0,08	0,1	0,7	0,05	0,07
yes	0,01	0,9	0,8	0,2	0,92	0,9	0,3	0,95	0,93

P(N A)	A=no	A=yes
N=no	0,9	0,05
N=yes	0,1	0,95

- $P(\text{door}, E=\text{no}, A=\text{no}, N) = P(\text{door})P(E=\text{no})P(A=\text{no}|\text{door}, E=\text{no})P(N|A=\text{no}) = 0.1 * 0.6 * 0.1 * 0.1 = 0.0006$
- $P(\text{door}, E=\text{no}, A=\text{yes}, N) = P(\text{door})P(E=\text{no})P(A=\text{yes}|\text{door}, E=\text{no})P(N|A=\text{yes}) = 0.1 * 0.6 * 0.9 * 0.95 = 0.0513$

Alarm

P(B)	
B=no	0,7
B=door	0,1
B=windows	0,2

P(E)	
E=no	0,6
E=moderate	0,2
E=severe	0,2

P(A EB)	no,no	no,do	no,wi	mo,no	mo,do	mo,wi	se,no	se,do	se,wi
no	0,99	0,1	0,2	0,8	0,08	0,1	0,7	0,05	0,07
yes	0,01	0,9	0,8	0,2	0,92	0,9	0,3	0,95	0,93

P(N A)	A=no	A=yes
N=no	0,9	0,05
N=yes	0,1	0,95

- $P(\text{no}, \text{N}, \text{E}=\text{no}, \text{A}=\text{no}) = P(\text{no}) P(\text{E}=\text{no}) P(\text{A}=\text{no}|\text{no}, \text{E}=\text{no}) P(\text{N}|\text{A}=\text{no}) = 0.7 * 0.6 * 0.99 * 0.1 = 0.04158$
- $P(\text{no}, \text{N}, \text{E}=\text{no}, \text{A}=\text{yes}) = P(\text{no}) P(\text{E}=\text{no}) P(\text{A}=\text{yes}|\text{no}, \text{E}=\text{no}) P(\text{N}|\text{A}=\text{yes}) = 0.7 * 0.6 * 0.01 * 0.95 = 0.00399$

Alarm

P(B)	
B=no	0,7
B=door	0,1
B=windows	0,2

P(E)	
E=no	0,6
E=moderate	0,2
E=severe	0,2

P(A EB)	no,no	no,do	no,wi	mo,no	mo,do	mo,wi	se,no	se,do	se,wi
no	0,99	0,1	0,2	0,8	0,08	0,1	0,7	0,05	0,07
yes	0,01	0,9	0,8	0,2	0,92	0,9	0,3	0,95	0,93

P(N A)	A=no	A=yes
N=no	0,9	0,05
N=yes	0,1	0,95

- $P(wi, N, E=no, A=no) = P(wi) P(E=no)P(A=no|wi, E=no)P(N|A=no) = 0.2 * 0.6 * 0.2 * 0.1 = 0.0024$
- $P(wi, N, E=no, A=yes) = P(wi) P(E=no)P(A=yes|wi, E=no)P(N|A=yes) = 0.2 * 0.6 * 0.8 * 0.95 = 0.0912$

Alarm

- $P(\text{door}, E=\text{no}, A=\text{no}, N)=0.0006$
- $P(\text{door}, E=\text{no}, A=\text{yes}, N)=0.0513$
- $P(\text{no}, N, E=\text{no}, A=\text{no})=0.04158$
- $P(\text{no}, N, E=\text{no}, A=\text{yes})=0.00399$
- $P(\text{wi}, N, E=\text{no}, A=\text{no})=0.0024$
- $P(\text{wi}, N, E=\text{no}, A=\text{yes})=0.0912$

- $P(\text{door}, N, E=\text{no})=0.0006+0.0513=0.0519$
- $P(N, E=\text{no})=0.0519+0.04158+0.00399+0.0024+0.0912=0.191070$
- $P(B=\text{door} | N=\text{yes}, E=\text{no})=0.0519 / 0.191070=0.27163$